

## PRODUCT DATA SHEET

---

Part number 538404

EAN 4015609161911

Manufacturer WALThER-WERKE

WEEE-Reg.-Number: DE 22131895

### Product description

---

Waterproof panel socket angled 32A 4P 4h with  
screwed flange housing 75x90mm



Similar image

### Detailed product description

---

WALThER Panel socket 32A 4P 110V 4h IP67  
 angled  
 made from PA6 material  
 with screwed flange housing  
 flange 75x90  
 fixing center 45x78




### Ordering Information

---

Order unit	Piece
Customs number	85366990
Net weight	0,33 kg
Packing quantity (VPE)	5
Length of the packaging	0,408 m
Width of the packaging	0,244 m
Depth of the packaging	0,186 m
Gross weight(VPE)	1,94 kg

### Certificates

---

VDE certification	123021	
UL certification	No. E83342	
EAC certification	BY112.02.01.020 06089	

## Classification system

---

Classification system	ETIM_6.0
ETIM Class	EC001317


## Technical product data

---

IEC-amperage	32 A
Amperage acc. UL/CSA (for UL-version)	30 A
Number of poles	4
Voltage acc. EN 60309-2	110 V (50+60 Hz) yellow
Clock hour position	4 h
Identification colour	Yellow
RAL-number	1018
Degree of protection (IP)	IP67
Connection system	Screwed terminal
Angle of plug	Angled
Material	Plastic
Military model	False
Flange size vertical	75 mm
Drill hole distance vertical	45 mm
Flange size horizontal	90 mm
Drill hole distance horizontal	78 mm

## Dimension sheet

---



Amp.	16			32			63		
Pole	3	4	5	3	4	5	3	4	5
a	30	40	40	45	45	45	90	90	90
b	55	68	68	78	78	78	90	90	90
c	5,5	5,5	5,5	5,5	5,5	5,5	6,2	6,2	6,2
d	52	66	66	75	75	75	114	114	114
e	65	80	80	90	90	90	114	114	114
f	88	108	108	121	121	123	143	143	143
h	38	52	52	60	60	60	70	70	70
n	109	123	123	145	145	145	203	203	203
p	9,5	9,5	9,5	9,5	9,5	9,5	6	6	6
u	72	81	88	96	96	103	110	110	110
y	30	38	38	44	44	44	56	56	56
z	36	46	46	54	54	54	65	65	65